

**Veterans Holdings**

34 W Fulton St, Gloversville, NY 12078  
 sonja@veteranshempmarket.com  
 518-246-0755  
 License #: OCM-AUCP-22-000012

**Certificate of Analysis**

Final




Date Released: 6/6/2024 12:57:53PM

Report #: 17264

**Chem Spill Fuerte**

**Sample #:** 4912, **Weight:** 13.00g, **Unit Count:**  
**Order #:** X240530-0001  
**Category/Type:** Plant, Flower - Cured  
**Date Collected:** 5/30/2024 3:11:08PM  
**Date Received:** 5/30/2024 6:33:40PM  
**Regulator Sample ID:** VH-065  
**Regulator Source Package ID:** VH-065  
**Regulator Batch ID:** VH-065  
**Size:** 2000Units, **Unit Count:**



**Potency Analysis by HPLC**

Total Cannabinoids: **39.82 % - 398.2 mg/g**  
 Total THC: **34.53 % - 345.3 mg/g**  
 Total CBD: **0.05718 % - 0.5718 mg/g**

Date Completed: 06/03/2024 9:45AM

Compound	CAS#	LOQ (%)	%	mg/g	Relative Concentration
THCa	23978-85-0	0.001000	36.55	365.5	[Bar]
d9-THC	1972-08-3	0.001000	2.474	24.74	[Bar]
CBGa	25555-57-1	0.001000	0.5511	5.511	[Bar]
CBG	25654-31-3	0.001000	0.09691	0.9691	[Bar]
CBDa	1244-58-2	0.001000	0.06520	0.6520	[Bar]
CBC	20675-51-8	0.001000	0.03656	0.3656	[Bar]
CBN	521-35-7	0.001000	0.02687	0.2687	[Bar]
THCV	31262-37-0	0.001000	0.02114	0.2114	[Bar]
d8-THC	5957-75-5	0.001000	ND	ND	[Bar]
d10/R9-THC	95543-62-7	0.001000	ND	ND	[Bar]
d10/S9-THC	95588-87-7	0.001000	ND	ND	[Bar]
CBD	13956-29-1	0.001000	ND	ND	[Bar]
CBDV	24274-48-4	0.001000	ND	ND	[Bar]

**Test Comment:** Cannabinoids analyzed by HPLC using P-NY100. The reported result is based on a sample weight using moisture content for flower samples unless moisture is listed as zero or ND. Unless otherwise stated all QC passed.  
 d8-THC is an abbreviation for delta-8 tetrahydrocannabinol. d9-THC is an abbreviation for delta-9 tetrahydrocannabinol.

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

**If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.**



**Keystone State Testing of New York**  
 1809 Vestal Pkwy E  
 Vestal, NY 13850  
 (607)301-0884  
 InfoNY@KeystoneStateTesting.com  
 www.KeystoneStateTesting.com  
 Permit #: OCM-CPL-2022-00007

*Kelly Greenland*

Dr. Kelly Greenland, Lab Director






**Sample #: 4912**

**Chem Spill Fuerte**

Compound	CAS#	LOQ (%)	%	mg/g	Relative Concentration
THCa		0.001000	36.55	365.5	
d9-THC		0.001000	2.474	24.74	
CBGa		0.001000	0.5511	5.511	
CBG		0.001000	0.09691	0.9691	
CBDa		0.001000	0.06520	0.6520	
CBC		0.001000	0.03656	0.3656	
CBN		0.001000	0.02687	0.2687	
THCV		0.001000	0.02114	0.2114	
CBDV		0.001000	ND	ND	
CBD		0.001000	ND	ND	
d8-THC		0.001000	ND	ND	
d10/R9-THC	95543-62-7	0.001000	ND	ND	
d10/S9-THC	95588-87-7	0.001000	ND	ND	

**Terpenes by HS-GC-MS**

Date Completed: 06/05/2024 9:31AM



Compound	CAS#	LOQ (%)	%	Relative Concentration
Beta-caryophyllene	87-44-5	0.1000	0.3654	
Terpinolene	586-62-9	0.1000	0.1876	
Beta-myrcene	123-35-3	0.1000	0.1489	
Limonene	5989-27-5	0.1000	ND	
Alpha-pinene	80-56-8	0.1000	ND	
Alpha-humulene	6753-98-6	0.1000	ND	
Linalool	78-70-6	0.1000	ND	
Beta-pinene	127-91-3	0.1000	ND	

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

**If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.**



**Keystone State Testing of New York**  
 1809 Vestal Pkwy E  
 Vestal, NY 13850  
 (607)301-0884  
 InfoNY@KeystoneStateTesting.com  
 www.KeystoneStateTesting.com  
 Permit #: OCM-CPL-2022-00007

*Kelly Greenland*

Dr. Kelly Greenland, Lab Director



# Veterans Holdings

34 W Fulton St, Gloversville, NY 12078

sonja@veteranshempmarket.com

518-246-0755

License #: OCM-AUCP-22-000012

# Certificate of Analysis

Final



Sample #: 4912

Chem Spill Fuerte

Compound	CAS#	LOQ (%)	%	Relative Concentration
Borneol	464-43-7	0.1000	ND	
Ocimene	13877-91-3	0.1000	ND	
Alpha-bisabolol	515-69-5	0.1000	ND	
Caryophyllene-oxide	1139-30-6	0.1000	ND	
Geraniol	106-24-1	0.1000	ND	
Camphene	79-92-5	0.1000	ND	
Guaial	489-86-1	0.1000	ND	
Alpha-terpinene	99-86-5	0.1000	ND	
Terpineol	8006-39-1	0.1000	ND	
Fenchol	14575-74-7	0.1000	ND	
Valencene	4630-07-3	0.1000	ND	
Alpha-phellandrene	99-83-2	0.1000	ND	
Farnesene	502-61-4	0.1000	ND	
Camphor	464-49-3	0.1000	ND	
3-Carene	13466-78-9	0.1000	ND	
Alpha-cedrene	469-61-4	0.1000	ND	
Cedrol	77-53-2	0.1000	ND	
Eucalyptol	470-82-6	0.1000	ND	
Fenchone	1195-79-5	0.1000	ND	
Gamma-terpinene	99-85-4	0.1000	ND	
Geranyl Acetate	105-87-3	0.1000	ND	
Isopulegol	89-79-2	0.1000	ND	
Menthol	15356-70-4	0.1000	ND	
Nerol	106-25-2	0.1000	ND	
Nerolidol		0.1000	ND	
Pulegone	89-82-7	0.1000	ND	

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

**If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.**



Keystone State Testing of New York

1809 Vestal Pkwy E

Vestal, NY 13850

(607)301-0884

InfoNY@KeystoneStateTesting.com

www.KeystoneStateTesting.com

Permit #: OCM-CPL-2022-00007

Dr. Kelly Greenland, Lab Director





**Sample #: 4912**

**Chem Spill Fuerte**

Compound	CAS#	LOQ (%)	%	Relative Concentration
Sabinene	3387-41-5	0.1000	ND	
Sabinene Hydrate	546-79-2	0.1000	ND	

**Test Comment:** Terpenes tested by GCMS using P-NY210. Unless otherwise stated, all QC passed.

**Foreign Matter by Microscopy** **Pass** Analysis Date: 06/03/2024 3:59 pm

Compound	LOQ (%)	Limits (%)	Result (%)	Status
% Foreign Matter	0.00100	2.0	ND	Pass
Mammalian Excreta	0.00100	0.03	ND	Pass
Stems	0.00100	5.0	ND	Pass

**Comment:** Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

**Moisture LWG** **Pass** Analysis Date: 06/03/2024 4:46 pm

Compound	LOQ (%)	Limits (%)	Result (%)	Status
Moisture	1.2	5 - 15	9.5	Pass

**Comment:** Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

**Water Activity** **Pass** Analysis Date: 06/03/2024 3:59 pm

Compound	LOQ (Aw)	Limits (Aw)	Result (Aw)	Status
Water Activity	0.05	0.65	0.44	Pass

**Comment:** Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

**Pesticides by LCMSMS** **Pass** Analysis Date: 06/03/2024 11:30 am

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Abamectin	0.0100	0.500	ND	Pass
Acephate	0.0100	0.400	ND	Pass
Acequinocyl	0.0100	2.00	ND	Pass

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

**If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.**



**Keystone State Testing of New York**  
 1809 Vestal Pkwy E  
 Vestal, NY 13850  
 (607)301-0884  
 InfoNY@KeystoneStateTesting.com  
 www.KeystoneStateTesting.com  
 Permit #: OCM-CPL-2022-00007

*Kelly N. Greenland*

Dr. Kelly Greenland, Lab Director





**Sample #: 4912**

**Chem Spill Fuerte**

**Pesticides by LCMSMS**

**Pass**

Analysis Date: 06/03/2024 11:30 am

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Acetamiprid	0.0100	0.200	ND	Pass
Aldicarb	0.0100	0.400	ND	Pass
Azadirachtin	0.0100	1.00	ND	Pass
Azoxystrobin	0.0100	0.200	ND	Pass
Bifenazate	0.0100	0.200	ND	Pass
Bifenthrin	0.0100	0.200	ND	Pass
Boscalid	0.0100	0.400	ND	Pass
Captan	0.0100	1.00	ND	Pass
Carbaryl	0.0100	0.200	ND	Pass
Carbofuran	0.0100	0.200	ND	Pass
Chlorantraniliprole	0.0100	0.200	ND	Pass
Chlordane-alpha	0.0100	1.00	ND	Pass
Chlorfenapyr	0.0100	1.00	ND	Pass
Chlormequat Chloride	0.0100	1.00	ND	Pass
Chlorpyrifos	0.0100	0.200	ND	Pass
Clofentezine	0.0100	0.200	ND	Pass
Coumaphos	0.0100	1.00	ND	Pass
Cyfluthrin	0.0100	1.00	ND	Pass
Cypermethrin	0.0100	1.00	ND	Pass
Daminozide	0.0100	1.00	ND	Pass
Diazinon	0.0100	0.200	ND	Pass
Dichlorvos	0.0100	1.00	ND	Pass
Dimethoate	0.0100	0.200	ND	Pass
Dimethomorph	0.0100	1.00	ND	Pass
Ethoprophos	0.0100	0.200	ND	Pass
Etofenprox	0.0100	0.400	ND	Pass

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

**If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.**



**Keystone State Testing of New York**  
 1809 Vestal Pkwy E  
 Vestal, NY 13850  
 (607)301-0884  
 InfoNY@KeystoneStateTesting.com  
 www.KeystoneStateTesting.com  
 Permit #: OCM-CPL-2022-00007

*Kelly N. Greenland*

Dr. Kelly Greenland, Lab Director





**Sample #: 4912**

**Chem Spill Fuerte**

**Pesticides by LCMSMS**

**Pass**

Analysis Date: 06/03/2024 11:30 am

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Etoazole	0.0100	0.200	ND	Pass
Fenhexamid	0.0100	1.00	ND	Pass
Fenoxycarb	0.0100	0.200	ND	Pass
Fenpyroximate	0.0100	0.400	ND	Pass
Fipronil	0.0100	0.400	ND	Pass
Fonicamid	0.0100	1.00	ND	Pass
Fludioxonil	0.0100	0.400	ND	Pass
Hexythiazox	0.0100	1.00	ND	Pass
Imazalil	0.0100	0.200	ND	Pass
Imidacloprid	0.0100	0.400	ND	Pass
Indolebutyric Acid	0.0100	1.00	ND	Pass
Kresoxim-methyl	0.0100	0.400	ND	Pass
Malathion	0.0100	0.200	ND	Pass
Metalaxyl	0.0100	0.200	ND	Pass
Methiocarb	0.0100	0.200	ND	Pass
Methomyl	0.0100	0.400	ND	Pass
Methyl Parathion	0.0100	0.200	ND	Pass
Mevinphos	0.0100	1.00	ND	Pass
MGK-264	0.0100	0.200	ND	Pass
Myclobutanil	0.0100	0.200	ND	Pass
Naled	0.0100	0.500	ND	Pass
Oxamyl	0.0100	1.00	ND	Pass
Paclobutrazol	0.0100	0.400	ND	Pass
Pentachloronitrobenzene	0.0100	1.00	ND	Pass
Permethrins, Total	0.0100	0.200	ND	Pass
Phosmet	0.0100	0.200	ND	Pass

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

**If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.**



**Keystone State Testing of New York**  
 1809 Vestal Pkwy E  
 Vestal, NY 13850  
 (607)301-0884  
 InfoNY@KeystoneStateTesting.com  
 www.KeystoneStateTesting.com  
 Permit #: OCM-CPL-2022-00007

*Kelly N. Greenland*

Dr. Kelly Greenland, Lab Director





**Sample #: 4912**

**Chem Spill Fuerte**

**Pesticides by LCMSMS**

**Pass**

Analysis Date: 06/03/2024 11:30 am

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Piperonyl Butoxide	0.0100	2.00	ND	Pass
Prallethrin	0.0100	0.200	ND	Pass
Propiconazole	0.0100	0.400	ND	Pass
Propoxur	0.0100	0.200	ND	Pass
Pyrethrins Total	0.0100	1.00	ND	Pass
Pyridaben	0.0100	0.200	ND	Pass
Spinetoram Total	0.0100	1.00	ND	Pass
Spinosad Total	0.0100	0.200	ND	Pass
Spiromesifen	0.0100	0.200	ND	Pass
Spirotetramat	0.0100	0.200	ND	Pass
Spiroxamine	0.0100	0.200	ND	Pass
Tebuconazole	0.0100	0.400	ND	Pass
Thiacloprid	0.0100	0.200	ND	Pass
Thiamethoxam	0.0100	0.200	ND	Pass
Trifloxystrobin	0.0100	0.200	ND	Pass

Comment: Pesticides tested by LCMSMS by using P-NY150. Unless otherwise stated, all QC passed.

**Residual Solvents by HS-GC-MS**

**Pass**

Analysis Date: 06/02/2024 1:18 pm

Compound	LOQ (ppm)	Limits (ppm)	Result (ppm)	Status
1,2-Dichloroethane	0.0500	5.00	ND	Pass
Acetone	50.00	5000	ND	Pass
Acetonitrile	50.00	410	ND	Pass
Benzene	0.5000	2.00	ND	Pass
Butanes Total	25.00	5000	ND	Pass
Chloroform	0.5000	60.0	ND	Pass
Dimethyl Sulfoxide (DMSO)	50.00	5000	ND	Pass

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

**If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.**



**Keystone State Testing of New York**  
 1809 Vestal Pkwy E  
 Vestal, NY 13850  
 (607)301-0884  
 InfoNY@KeystoneStateTesting.com  
 www.KeystoneStateTesting.com  
 Permit #: OCM-CPL-2022-00007

*Kelly N Greenland*

Dr. Kelly Greenland, Lab Director





**Sample #: 4912**

**Chem Spill Fuerte**

**Residual Solvents by HS-GC-MS**

**Pass**

Analysis Date: 06/02/2024 1:18 pm

Compound	LOQ (ppm)	Limits (ppm)	Result (ppm)	Status
Ethanol	50.00	5000	ND	Pass
Ethyl acetate	50.00	5000	ND	Pass
Ethyl ether	50.00	5000	ND	Pass
Heptane	50.00	5000	ND	Pass
Hexanes Total	10.00	290	ND	Pass
Isopropanol	50.00	5000	ND	Pass
Methanol	50.00	3000	ND	Pass
Methylene chloride	50.00	600	ND	Pass
Pentanes Total	16.70	5000	ND	Pass
Propane	50.00	5000	ND	Pass
Toluene	50.00	890	ND	Pass
Total xylenes	25.00	2170	ND	Pass
Trichloroethane (1,1,1-)	50.00	1500	ND	Pass

Comment: Residual Solvents tested by GCMS using P-NY170. Unless otherwise stated, all QC passed. "TIC" stands for Tentatively Identified Compound but not quantitated.

**Mycotoxins by LCMSMS**

**Pass**

Analysis Date: 06/03/2024 11:30 am

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Aflatoxin B1	0.0050	0.020	ND	Pass
Aflatoxin B2	0.0050	0.020	ND	Pass
Aflatoxin G1	0.0050	0.020	ND	Pass
Aflatoxin G2	0.0050	0.020	ND	Pass
Ochratoxin A	0.0050	0.020	ND	Pass
Total Aflatoxin	0.0050	0.020	ND	Pass

Comment: Mycotoxin contamination tested by LCMSMS using P-NY125. Unless otherwise stated, all QC passed.

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

**If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.**



**Keystone State Testing of New York**  
 1809 Vestal Pkwy E

Vestal, NY 13850  
 (607)301-0884  
 InfoNY@KeystoneStateTesting.com  
 www.KeystoneStateTesting.com  
 Permit #: OCM-CPL-2022-00007

*Kelly Greenland*

Dr. Kelly Greenland, Lab Director







**Sample #: 4912**

**Chem Spill Fuerte**

**Heavy Metals by ICPMS**

**Pass**

Analysis Date: 06/02/2024 10:56 am

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Antimony	0.0100	2.00	ND	Pass
Arsenic	0.00100	0.200	0.0323	Pass
Cadmium	0.00150	0.300	0.0413	Pass
Chromium	0.280	110	ND	Pass
Copper	0.0750	30.0	9.92	Pass
Lead	0.00250	0.500	0.0827	Pass
Mercury	0.000500	0.100	0.00267	Pass
Nickel	0.0100	5.00	0.375	Pass

Comment: Heavy Metal contamination tested by ICPMS using P-NY140. Unless otherwise stated, all QC passed.

**Micro by Petri & qPCR**

**Pass**

Analysis Date: 06/05/2024 11:53 am

Compound	LOQ (CFU/g)	Limits (CFU/g)	Result (CFU/g)	Status
Aspergillus flavus Qualitative	1	0	Not Detected	Pass
Aspergillus fumigatus Qualitative	1	0	Not Detected	Pass
Aspergillus niger Qualitative	1	0	Not Detected	Pass
Aspergillus terreus Qualitative	1	0	Not Detected	Pass
Salmonella Qualitative	1	0	Not Detected	Pass
Shiga Toxin-Producing E. coli Qualitative	1	0	Not Detected	Pass
Total Aerobic Bacteria	10		<LOQ	Pass
Total Yeast & Mold	10		1000	Pass

Comment: Microbial contamination tested by Petrifilm plates and qPCR using P-NY120. Unless otherwise stated, all QC passed. Due to COA validation limitations: "Not Detected" = "Absent" and "Detected" = "Presumptive Presence". Acceptance Limits: "0" = "Absence" and "1" = "Presence".

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

**If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.**



**Keystone State Testing of New York**  
 1809 Vestal Pkwy E  
 Vestal, NY 13850  
 (607)301-0884  
 InfoNY@KeystoneStateTesting.com  
 www.KeystoneStateTesting.com  
 Permit #: OCM-CPL-2022-00007

*Kelly Greenland*

Dr. Kelly Greenland, Lab Director

