

Veterans Holdings

34 W Fulton St, Gloversville, NY 12078
 sonja@veteranshempmarket.com
 518-246-0755
 License #: OCM-AUCP-22-000012

Certificate of Analysis

Final



Date Released: 5/10/2024 8:13:17PM

Report #: 16018

Gelato Presidente v2

Sample #: 4779, Weight: 16.00g, Unit Count:

Order #: X240506-0002

Category/Type: Plant, Preroll

Date Collected: 5/6/2024 5:43:20PM


Date Received: 5/6/2024 6:08:25PM

Regulator Sample ID: VH-058

Regulator Source Package ID: VH-058

Regulator Batch ID: VH-058

Size: 1150Units, Unit Count:



Potency Analysis by HPLC

Total Cannabinoids: **42.51 % - 425.1 mg/g**
 Total THC: **37.12 % - 371.2 mg/g**
 Total CBD: **0.07017 % - 0.7017 mg/g**

Date Completed: 05/08/2024 12:00PM

Compound	CAS#	LOQ (%)	%	mg/g	Relative Concentration
THCa	23978-85-0	0.001000	36.23	362.3	[Bar]
d9-THC	1972-08-3	0.001000	5.351	53.51	[Bar]
CBGa	25555-57-1	0.001000	0.4158	4.158	[Bar]
CBG	25654-31-3	0.001000	0.2192	2.192	[Bar]
CBC	20675-51-8	0.001000	0.1043	1.043	[Bar]
CBN	521-35-7	0.001000	0.07174	0.7174	[Bar]
CBDa	1244-58-2	0.001000	0.05258	0.5258	[Bar]
THCV	31262-37-0	0.001000	0.04590	0.4590	[Bar]
CBD	13956-29-1	0.001000	0.02406	0.2406	[Bar]
d8-THC	5957-75-5	0.001000	ND	ND	[Bar]
d10/R9-THC	95543-62-7	0.001000	ND	ND	[Bar]
d10/S9-THC	95588-87-7	0.001000	ND	ND	[Bar]
CBDV	24274-48-4	0.001000	ND	ND	[Bar]

Test Comment: Cannabinoids analyzed by HPLC using P-NY100. The reported result is based on a sample weight using moisture content for flower samples unless moisture is listed as zero or ND. Unless otherwise stated all QC passed.

d8-THC is an abbreviation for delta-8 tetrahydrocannabinol. d9-THC is an abbreviation for delta-9 tetrahydrocannabinol.

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E

Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director






Sample #: 4779

Gelato Presidente v2

Compound	CAS#	LOQ (%)	%	mg/g	Relative Concentration
THCa		0.001000	36.23	362.3	
d9-THC		0.001000	5.351	53.51	
CBGa		0.001000	0.4158	4.158	
CBG		0.001000	0.2192	2.192	
CBC		0.001000	0.1043	1.043	
CBN		0.001000	0.07174	0.7174	
CBDa		0.001000	0.05258	0.5258	
THCV		0.001000	0.04590	0.4590	
CBD		0.001000	0.02406	0.2406	
CBDV		0.001000	ND	ND	
d8-THC		0.001000	ND	ND	
d10/R9-THC	95543-62-7	0.001000	ND	ND	
d10/S9-THC	95588-87-7	0.001000	ND	ND	

Terpenes by HS-GC-MS

Date Completed: 05/08/2024 11:31AM



Compound	CAS#	LOQ (%)	%	Relative Concentration
Beta-caryophyllene	87-44-5	0.1000	0.8778	
Limonene	5989-27-5	0.1000	0.4849	
Farnesene	502-61-4	0.1000	0.2545	
Beta-myrcene	123-35-3	0.1000	0.2149	
Alpha-humulene	6753-98-6	0.1000	0.2109	
Ocimene	13877-91-3	0.1000	0.1386	
Alpha-pinene	80-56-8	0.1000	0.1033	
Linalool	78-70-6	0.1000	ND	

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director



Veterans Holdings

34 W Fulton St, Gloversville, NY 12078

sonja@veteranshempmarket.com

518-246-0755

License #: OCM-AUCP-22-000012

Certificate of Analysis

Final



Sample #: 4779

Gelato Presidente v2

Compound	CAS#	LOQ (%)	%	Relative Concentration
Beta-pinene	127-91-3	0.1000	ND	
Terpinolene	586-62-9	0.1000	ND	
Borneol	464-43-7	0.1000	ND	
Alpha-bisabolol	515-69-5	0.1000	ND	
Caryophyllene-oxide	1139-30-6	0.1000	ND	
Geraniol	106-24-1	0.1000	ND	
Camphene	79-92-5	0.1000	ND	
Guaial	489-86-1	0.1000	ND	
Alpha-terpinene	99-86-5	0.1000	ND	
Terpineol	8006-39-1	0.1000	ND	
Fenchol	14575-74-7	0.1000	ND	
Valencene	4630-07-3	0.1000	ND	
Alpha-phellandrene	99-83-2	0.1000	ND	
Camphor	464-49-3	0.1000	ND	
3-Carene	13466-78-9	0.1000	ND	
Alpha-cedrene	469-61-4	0.1000	ND	
Cedrol	77-53-2	0.1000	ND	
Eucalyptol	470-82-6	0.1000	ND	
Fenchone	1195-79-5	0.1000	ND	
Gamma-terpinene	99-85-4	0.1000	ND	
Geranyl Acetate	105-87-3	0.1000	ND	
Isopulegol	89-79-2	0.1000	ND	
Menthol	15356-70-4	0.1000	ND	
Nerol	106-25-2	0.1000	ND	
Nerolidol		0.1000	ND	
Pulegone	89-82-7	0.1000	ND	

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E

Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-2022-00007

Dr. Kelly Greenland, Lab Director





Sample #: 4779

Gelato Presidente v2

Compound	CAS#	LOQ (%)	%	Relative Concentration
Sabinene	3387-41-5	0.1000	ND	
Sabinene Hydrate	546-79-2	0.1000	ND	

Test Comment: Terpenes tested by GCMS using P-NY210. Unless otherwise stated, all QC passed.

Foreign Matter by Microscopy

Pass

Analysis Date: 05/07/2024 3:54 pm

Compound	LOQ (%)	Limits (%)	Result (%)	Status
% Foreign Matter	0.00100	2.0	ND	Pass
Mammalian Excreta	0.00100	0.03	ND	Pass
Stems	0.00100	5.0	ND	Pass

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

Moisture LWG

Pass

Analysis Date: 05/07/2024 3:54 pm

Compound	LOQ (%)	Limits (%)	Result (%)	Status
Moisture	1.2	5 - 15	9.3	Pass

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

Water Activity

Pass

Analysis Date: 05/07/2024 3:54 pm

Compound	LOQ (Aw)	Limits (Aw)	Result (Aw)	Status
Water Activity	0.05	0.65	0.43	Pass

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

Pesticides by LCMSMS

Pass

Analysis Date: 05/09/2024 1:21 pm

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Abamectin	0.0100	0.500	ND	Pass
Acephate	0.0100	0.400	ND	Pass
Acequinocyl	0.0100	2.00	ND	Pass

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director





Sample #: 4779

Gelato Presidente v2

Pesticides by LCMSMS

Pass

Analysis Date: 05/09/2024 1:21 pm

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Acetamiprid	0.0100	0.200	ND	Pass
Aldicarb	0.0100	0.400	ND	Pass
Azadirachtin	0.0100	1.00	ND	Pass
Azoxystrobin	0.0100	0.200	ND	Pass
Bifenazate	0.0100	0.200	ND	Pass
Bifenthrin	0.0100	0.200	ND	Pass
Boscalid	0.0100	0.400	ND	Pass
Captan	0.0100	1.00	ND	Pass
Carbaryl	0.0100	0.200	ND	Pass
Carbofuran	0.0100	0.200	ND	Pass
Chlorantraniliprole	0.0100	0.200	ND	Pass
Chlordane-alpha	0.0100	1.00	ND	Pass
Chlorfenapyr	0.0100	1.00	ND	Pass
Chlormequat Chloride	0.0100	1.00	ND	Pass
Chlorpyrifos	0.0100	0.200	ND	Pass
Clofentezine	0.0100	0.200	ND	Pass
Coumaphos	0.0100	1.00	ND	Pass
Cyfluthrin	0.0100	1.00	ND	Pass
Cypermethrin	0.0100	1.00	ND	Pass
Daminozide	0.0100	1.00	ND	Pass
Diazinon	0.0100	0.200	ND	Pass
Dichlorvos	0.0100	1.00	ND	Pass
Dimethoate	0.0100	0.200	ND	Pass
Dimethomorph	0.0100	1.00	ND	Pass
Ethoprophos	0.0100	0.200	ND	Pass
Etofenprox	0.0100	0.400	ND	Pass

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007

Kelly N. Greenland

Dr. Kelly Greenland, Lab Director





Sample #: 4779

Gelato Presidente v2

Pesticides by LCMSMS

Pass

Analysis Date: 05/09/2024 1:21 pm

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Etoazole	0.0100	0.200	ND	Pass
Fenhexamid	0.0100	1.00	ND	Pass
Fenoxycarb	0.0100	0.200	ND	Pass
Fenpyroximate	0.0100	0.400	ND	Pass
Fipronil	0.0100	0.400	ND	Pass
Flonicamid	0.0100	1.00	ND	Pass
Fludioxonil	0.0100	0.400	ND	Pass
Hexythiazox	0.0100	1.00	ND	Pass
Imazalil	0.0100	0.200	ND	Pass
Imidacloprid	0.0100	0.400	ND	Pass
Indolebutyric Acid	0.0100	1.00	ND	Pass
Kresoxim-methyl	0.0100	0.400	ND	Pass
Malathion	0.0100	0.200	ND	Pass
Metalaxyl	0.0100	0.200	ND	Pass
Methiocarb	0.0100	0.200	ND	Pass
Methomyl	0.0100	0.400	ND	Pass
Methyl Parathion	0.0100	0.200	ND	Pass
Mevinphos	0.0100	1.00	ND	Pass
MGK-264	0.0100	0.200	ND	Pass
Myclobutanil	0.0100	0.200	ND	Pass
Naled	0.0100	0.500	ND	Pass
Oxamyl	0.0100	1.00	ND	Pass
Paclobutrazol	0.0100	0.400	ND	Pass
Pentachloronitrobenzene	0.0100	1.00	ND	Pass
Permethrins, Total	0.0100	0.200	ND	Pass
Phosmet	0.0100	0.200	ND	Pass

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007

Kelly N. Greenland

Dr. Kelly Greenland, Lab Director





Sample #: 4779

Gelato Presidente v2

Pesticides by LCMSMS

Pass

Analysis Date: 05/09/2024 1:21 pm

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Piperonyl Butoxide	0.0100	2.00	ND	Pass
Prallethrin	0.0100	0.200	ND	Pass
Propiconazole	0.0100	0.400	ND	Pass
Propoxur	0.0100	0.200	ND	Pass
Pyrethrins Total	0.0100	1.00	ND	Pass
Pyridaben	0.0100	0.200	ND	Pass
Spinetoram Total	0.0100	1.00	ND	Pass
Spinosad Total	0.0100	0.200	ND	Pass
Spiromesifen	0.0100	0.200	ND	Pass
Spirotetramat	0.0100	0.200	ND	Pass
Spiroxamine	0.0100	0.200	ND	Pass
Tebuconazole	0.0100	0.400	ND	Pass
Thiacloprid	0.0100	0.200	ND	Pass
Thiamethoxam	0.0100	0.200	ND	Pass
Trifloxystrobin	0.0100	0.200	ND	Pass

Comment: Pesticides tested by LCMSMS by using P-NY150. Unless otherwise stated, all QC passed.

Residual Solvents by HS-GC-MS

Pass

Analysis Date: 05/10/2024 11:26 am

Compound	LOQ (ppm)	Limits (ppm)	Result (ppm)	Status
1,2-Dichloroethane	0.0500	5.00	ND	Pass
Acetone	50.00	5000	ND	Pass
Acetonitrile	50.00	410	ND	Pass
Benzene	0.5000	2.00	ND	Pass
Butanes Total	25.00	5000	ND	Pass
Chloroform	0.5000	60.0	ND	Pass
Dimethyl Sulfoxide (DMSO)	50.00	5000	ND	Pass

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E

Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007

Kelly N. Greenland

Dr. Kelly Greenland, Lab Director





Sample #: 4779

Gelato Presidente v2

Residual Solvents by HS-GC-MS

Pass

Analysis Date: 05/10/2024 11:26 am

Compound	LOQ (ppm)	Limits (ppm)	Result (ppm)	Status
Ethanol	50.00	5000	ND	Pass
Ethyl acetate	50.00	5000	ND	Pass
Ethyl ether	50.00	5000	ND	Pass
Heptane	50.00	5000	ND	Pass
Hexanes Total	10.00	290	ND	Pass
Isopropanol	50.00	5000	ND	Pass
Methanol	50.00	3000	ND	Pass
Methylene chloride	50.00	600	ND	Pass
Pentanes Total	16.70	5000	ND	Pass
Propane	50.00	5000	ND	Pass
Toluene	50.00	890	ND	Pass
Total xylenes	25.00	2170	ND	Pass
Trichloroethane (1,1,1-)	50.00	1500	ND	Pass

Comment: Residual Solvents tested by GCMS using P-NY170. Unless otherwise stated, all QC passed. "TIC" stands for Tentatively Identified Compound but not quantitated.

Mycotoxins by LCMSMS

Pass

Analysis Date: 05/09/2024 1:21 pm

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Aflatoxin B1	0.0050	0.020	ND	Pass
Aflatoxin B2	0.0050	0.020	ND	Pass
Aflatoxin G1	0.0050	0.020	ND	Pass
Aflatoxin G2	0.0050	0.020	ND	Pass
Ochratoxin A	0.0050	0.020	ND	Pass
Total Aflatoxin	0.0050	0.020	ND	Pass

Comment: Mycotoxin contamination tested by LCMSMS using P-NY125. Unless otherwise stated, all QC passed.

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director





Sample #: 4779

Gelato Presidente v2

Heavy Metals by ICPMS

Pass

Analysis Date: 05/08/2024 9:51 am

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Antimony	0.0100	2.00	ND	Pass
Arsenic	0.00100	0.200	0.181	Pass
Cadmium	0.00150	0.300	0.0671	Pass
Chromium	0.280	110	ND	Pass
Copper	0.0750	30.0	14.6	Pass
Lead	0.00250	0.500	0.0732	Pass
Mercury	0.000500	0.100	ND	Pass
Nickel	0.0100	5.00	0.420	Pass

Comment: Heavy Metal contamination tested by ICPMS using P-NY140. Unless otherwise stated, all QC passed.

Micro by Petri & qPCR

Pass

Analysis Date: 05/09/2024 1:46 pm

Compound	LOQ (CFU/g)	Limits (CFU/g)	Result (CFU/g)	Status
Aspergillus flavus Qualitative	1	0	Not Detected	Pass
Aspergillus fumigatus Qualitative	1	0	Not Detected	Pass
Aspergillus niger Qualitative	1	0	Not Detected	Pass
Aspergillus terreus Qualitative	1	0	Not Detected	Pass
Salmonella Qualitative	1	0	Not Detected	Pass
Shiga Toxin-Producing E. coli Qualitative	1	0	Not Detected	Pass
Total Aerobic Bacteria	10		167	Pass
Total Yeast & Mold	10		667	Pass

Comment: Microbial contamination tested by Petrifilm plates and qPCR using P-NY120. Unless otherwise stated, all QC passed. **Due to COA validation limitations:** "Not Detected" = "Absent" and "Detected" = "Presumptive Presence". Acceptance Limits: "0" = "Absence" and "1" = "Presence".

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director

